



CONSUMABLE CATALOGUE

CHROMATOGRAPHY | FTIR | DISSOLUTION



tsi@technosearchinstruments.com
rajeev@technosearchinstruments.com



+919265002650/
+919323738296

Address: Sachin Industrial Estate, Kolbad Road, Khopat, Thane (West) .

www.technosearchinstruments.com

CONSUMABLES | VIALS | CAPS | RACKS



HPLC Vial | CLEAR GLASS | SCREW TYPE | WITH PATCH | Type 1 Glass (1.5 ML / 2 ML)



HPLC Vial | AMBER GLASS | SCREW TYPE | WITH PATCH | Type 1 Glass (1.5 ML / 2 ML)



GC Vial | CLEAR GLASS | CRIMP TYPE Type 1 Glass (20 ML)



GC Vial | CLEAR GLASS | CRIMP/ SNAP TYPE WITH PATCH | Type 1 (1.5 ML / 2 ML)



MICRO INSERTS (HPLC Vial)



PP SCREW TYPE INSERT VIALS



PP SCREW TYPE VIALS WITH PATCH (1.5 ML / 2 ML)



Shell Vials - 1ml Glass/PP, 8mm Pe-Plug (8.2mm x 40mm)



TOC/EPA Vials and Closures | 20ml / 40 ml



GC Injector Sepa (20mm)



Blue Screw Cap | White PTFE | RED Silicon Septa | Bonded/ Non-bonded 9 MM



Aluminium Crimp Cap | White & White/ Beige PTFE Silicon Septa (20 MM)



Tubular Sample storage Vials | 2/5/10/20 ml



Tubular Sample storage Vials | 2/5/10/20 ml



Electronic Crimper | Decrimper (Imported)



2 ml HPLC vial Rack (Imported)



20ml GC Vial Rack (Imported)



Manual Crimper | Decrimper (Imported)



1/16" PEEK FINGER TIGHT FITTING, MACHINED. (Pack of 10)



Peek Union . Available in Bore size; 0.25, 0.5 & 0.75 mm



1/16" FEMALE SS 316 UNION WITH ZERO DEAD VOLUME



PEEK Tubing, ID 0.5/0.25/0.75/ 1.0 mm, OD 1/16



SS 316 Tubing 1/16" X 0.18/0.13/0.25/ 0.5 MM ID



SS Tubing Cutter



PEEK Tubing Cutter



7 Port PEEK Manifold | 1/16"OD tubing



Peek Tee & Crosses



Solvent Filter for HPLC (Waters Type)



Solvent Filter for HPLC (Shimadzu Type)



Solvent Filter (SS 316) for HPLC (Agilent Type)



Graphite Ferrules 0.5/0.8/1mm (1 PK 10 nos)



Frits for Agilent HPLC Systems (1 PK 5 nos)



High Pressure PEEK Tee for LCMS-UPLC. 1/16" OD tubing.



PTFE/ Nylon/ PVDF Syringe Filter 13mm / 25 mm; 0.22µm/0.45 µm (100 pcs/ pck)



HPLC Safety Bottle Caps | 3/ 4 port



Column End Plug

Laboratory Accessories



Column Storage Cabinet | ABS Plastic | 6/ 12 drawers



Solid Phase Extraction(SPE) manifold | 12/ 24 port



Gas Sampling Bomb | Capacity: 0.5 - 10 Ltr.



Vacuum Filtration Manifold | 3 stage/ 6 stage



Solvent Filtration Kit



SS Filter Holder (Duck Clamp type)



Glass Filter Holder | Filter size: 25mm, 47mm, 90 mm



HPLC solvent filtration kit



Vacuum Filtration Manifold Kit

CONSUMABLES | DISSOLUTION APPARATUS



DISSOLUTIONS VESSEL CLEAR 'E' TYPE- 1000ml



DISSOLUTION VESSEL AMBER 'E' TYPE - 1000ml



USP App. 1 Baskets (10/20/40/60/100 Mesh sizes available)



Paddle [Available for 110/250/1000mL (SS)]



Capsule sinkers(Available in all dimensions)



Helix/Spiral Type sinkers(Available in all sizes)



SS Cannula Filter (10 µm) with adapter (Pack of 6)



Disposable Cannula Filter 10 µm (Pck of 100)



Sampling Canulas available(Fixed height/ Adjustable)

Chromatography Consumables

GC/HPLC Micro Syringes



HAMILTON

SETonic
Syringes

SGE Analytical Science

Chromatography and Spectroscopy | D2 Lamps | Tungsten Lamps



HAMAMATSU
PHOTON IS OUR BUSINESS

Brightlite Co., Ltd
Brightlite

HPLC SPARES



Rheodyne Injectors



PTFE Frit | Pump accessory|
5 nos/ pck



Rheodyne Sample Loops |
PEEK/ SS



Rotor Seal(600 bar) |
Autosampler spare



Stator head |
Autosampler spare



Stator phase |
Autosampler spare



KBR Press(Manual)



KBR Press (Automatic)



KBR Die Set



Dry Box



Rectangular KBR windows



Round KBR windows



MORTAR & PESTLE



KBR Die



**POLYMER PRESS Manual/
AUTOMATIC - 15/30 TON**



XRF Die



**FTIR Liquid
sampling**



**Gas Cell
(NaCl/ KBR)**

Moisture Balance Al Pan & DSC/ TGA Aluminium Pan



**Aluminium Pan for
Moisture Analyser**



**DSC/ TGA
Aluminium Pans**



Scales & Balance Accessories



Weighing Dishes/Boats (Square, Diamond, Canoe, Vessel, Hexagon Shape), PP Weighing Funnel, Aluminum Evaporating /Weighing Dishes, etc

Microbalance Consumables



Micro Aluminum Weighing Boats/Discs (Round, Rectangle, Canoe with our without handle), Micro Aluminum Shovels

STANDARD WEIGHTS WITH NABL CERTIFICATES



F1/E2/A class standard weight box (1 mg – 200 g)




Individual weights (500 g to 20 kg) M1 class standard weights NABL certificate

PIR for AAS/ ICP/ICPMS/ TOC

We do the following Preinstallation requisite work for AAS/ ICPMS/ ICPOES

1. Installation of Fume Extraction system with SS Duct and Exhaust blower for AAS/ ICPMS/ ICPOES.
2. Supply of Gas Cylinders with regulators.
3. Installation of Gas Control Panel, Gas Purification Panel, Gas tubing etc.



Supply and Installation of PIR for GC / GCMS



Gas distribution and selection Panel



Gas Manifold with regulator

Gas Purification Panel

Hydrogen Gas generator

Nitrogen, Air & Hydrogen generator combination for GC & TOC



TECHNOSEARCH ANALYTICALS LABORATORY SOLUTIONS

Contact us



+919265002650/
+919323738296



+919265002650



rajeev@technosearchinstruments.com
tsi@technosearchinstruments.com



REGD OFFICE:
Sachin Industrial Estate, Kolbad
Road, Khopat, Thane (West)



www.technosearchinstruments.com